



DK SERIES

DK861LR4


86" 3500 nits 4K UHD Single-sided Ultra-High Brightness Outdoor Kiosk




**LOW POWER
CONSUMPTION**



**SUNLIGHT
VIEWABLE IMAGE**



**VANDAL
RESISTANT**



**VIEWABLE WITH
POLARIZED LENSES**



**WEATHER
PROOF**

PANEL

LCD Panel Size	85.6"
Native Resolution	3840 x 2160
Brightness	3500 nits
Color Depth	10 bits
Contrast Ratio	3000:1
Response Time (Typ.)	8 ms
Viewing Angle	178° / 178°
Light Lifetime (Typ.)	100,000 hrs
Blackening Defect Free	Up to 110°C (230°F)

POWER

Power Supply	Internal
Rated Voltage	200-240V ~ 50/60HZ
Power Consumption (Typ./ Max.)	650 W / 1500 W [Basic]

MECHANICAL SPECS	Bezel Width (T/B/L/R)	95.2 / 106.7 / 134.4 / 134.4 mm
	Monitor Dimension (LxHxD)	1338.0 x 2174.0 x 202.0 mm
	Monitor Weight	< 350 kg [TBD]
	Glass	Double Laminated Tempered , AR
	Key Lock	Yes
FEATURE	Language	English
	Support SNMP (Up to V3.0)	Yes
	Image Retention Protection	Yes
	Ambient Light Sensor	Yes
	Power On/Off Scheduling	Yes
INPUT	HDMI 2.1 (HDCP 2.3)	x3 (2160p)
	DisplayPort 1.2	x1
	USB 3.0	x1
	Micro SD slot	x1
OUTPUT	Audio	x1
EXTERNAL CONTROL	RS-232	x1
	RJ-45	x2 (LAN)
ENVIRONMENT	Operating Temperature	-30°~ 50° C
	Storage Temperature	-20°~60° C
	Humidity	10% ~ 100% RH Non-condensing
	Water and Dust resistant design	IP56
INTERNAL PLAYER	Operating System	Android 8.0.0
	Processor	Dual-core A73 and dual-core A53
	Clock Speed	1.5GHz
	Main Memory Interface	DDR4, 2G
	Graphics	Quad-core MaliG51
ACCESSORY	Remote Control. Batteries	
CERTIFICATION	CE / IEC60950-22 / RoHS	

Android is a trademark of Google LLC.

The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

FOR MORE INFORMATION

For more information about DynaScan, visit our website at www.dynascandisplay.com. Copyright © DynaScan Technology Inc. All rights reserved. All specifications and descriptions are subject to change without notice. Reproduction without permission is prohibited.

DynaScan